



RF Solution offer a wide selection of 3 Ways Power Divider for global customers. PD03-F1071-N-400-470MHz is a 3 Ways Power Divider in Frequency Range of 400~470 MHz. It is made of high quality materials under a high standard, the Insertion Loss Max of this product is 0.5 dB, Isolation Min is 20 dB and Split Loss is 4.8 dB. The component has a good working performance and stability, it is ideal for handling a Rated Power of 50 W.

## Product Details

|             |                                  |
|-------------|----------------------------------|
| Part Number | PD03-F1071-N-400-470MHz          |
| Description | 400~470 MHz 3 Ways Power Divider |

## General Parameters

|                       |                |
|-----------------------|----------------|
| Frequency Range       | 400~470 MHz    |
| Insertion Loss Max    | 0.5 dB         |
| Isolation Min         | 20 dB          |
| Split Loss            | 4.8 dB         |
| Rated Power           | 50 W           |
| VSWR Max              | 1.30           |
| Impedance             | 50 Ω           |
| Connector Type        | N-F            |
| Size                  | 104*71*21 mm   |
| Weight                | 700 g          |
| Surface Finishing     | Black Painting |
| Operating Temperature | -40~+65 °C     |
| Storage Temperature   | /              |
| ROHS Compliant        | Yes            |

### Outline Drawing (mm)

