



RF Solution offer a wide selection of 3 Ways Power Divider for global customers. PD03-F70-N-134-3700MHz is a 3 Ways Power Divider in Frequency Range of 134~3700 MHz. It is made of high quality materials under a high standard, the Insertion Loss Max of this product is 3.6 dB(Exclusive the 4.8dB Split Loss), Isolation Min is 18 dB and Amplitude Unbalance is ± 0.8 dB. The component has a good working performance and stability, it is ideal for handling a Forward Power of 20 W.

Product Details

Part Number	PD03-F70-N-134-3700MHz
Description	134~3700 MHz 3 Ways Power Divider

General Parameters

Frequency Range	134~3700 MHz
Insertion Loss Max	3.6 dB(Exclusive the 4.8dB Split Loss)
Isolation Min	18 dB
Amplitude Unbalance	± 0.8 dB
Forward Power	20 W
Reverse Power	2 W
VSWR Input Max	1.50
VSWR Output Max	1.40
Phase Unbalance	$\pm 10^\circ$
Impedance	50 Ω
Connector Type	N-F
Size	210*70*20 mm
Weight	/
Surface Finishing	Black Painting



Operating Temperature	-45~+75 °C
ROHS Compliant	Yes

Outline Drawing (mm)

