



RF Solution offer a wide selection of Coaxial Fixed Attenuator for global customers. RFTXX-05RA2030-DIN-6 is a Coaxial Fixed Attenuator in Frequency Range of DC~6.0 GHz. It is made of high quality materials under a high standard, the VSWR Max of this product is 1.30, Attenuation Value is ①1-10 dB②12,13,15,20 dB③30,40 dB and Attenuation Tolerance is ①±0.7 dB②±0.8 dB③±1.2 dB. The component has a good working performance and stability, it is ideal for handling a Power of 5 W.

## Product Details

|             |                                     |
|-------------|-------------------------------------|
| Part Number | RFTXX-05RA2030-DIN-6                |
| Description | DC~6.0 GHz Coaxial Fixed Attenuator |

## General Parameters

|                       |                                  |
|-----------------------|----------------------------------|
| Frequency Range       | DC~6.0 GHz                       |
| VSWR Max              | 1.30                             |
| Attenuation Value     | ①1-10 dB②12,13,15,20 dB③30,40 dB |
| Attenuation Tolerance | ①±0.7 dB②±0.8 dB③±1.2 dB         |
| Power                 | 5 W                              |
| Impedance             | 50 Ω                             |
| Connector Type        | DIN-J(M)/DIN-K(F)                |
| Size                  | Φ20*73.85 mm                     |
| Weight                | 160 g                            |
| Operating Temperature | -55~+125 °C                      |
| Storage Temperature   | /                                |
| ROHS Compliant        | Yes                              |

## Outline Drawing (mm)

